

3/2

# **Notice of Allowability**

**Application No.**

10/756,915

**Examiner**

Nikita Wells

**Applicant(s)**

DEGERTEKIN ET AL.

**Art Unit**

2881

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to *"Response to Restriction Requirement" received 22 June 2007.*
2. ☒ The allowed claim(s) is/are 15-39.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## **Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date 02/19/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Nikita Wells  
 Primary Examiner  
 Art Unit: 2881

### **DETAILED ACTION**

1. Claims 1-14 and 40-85 were canceled by the Applicant in his "Response to Restriction Requirement" received June 22, 2007.

#### ***Allowable Subject Matter***

2. Claims 15-39 are allowed.
3. The following is an examiner's statement of reasons for allowance:

With respect to the independent claim 15, prior art fails to disclose or make obvious, in combination with other recited features of the claim limitations, an atomizer, comprising: a first reservoir for receiving a fluid; an atomizer actuator disposed in communication with the first reservoir for generating an acoustical pressure wave through the fluid; and a first set of ejectors including at least one ejector for dispensing atomized fluid in response to the acoustical pressure wave.

The key element of the applicant's invention, not disclosed in the prior art, is the use of an atomizer actuator disposed in communication with the first reservoir for generating an acoustical pressure wave through the fluid; the atomized fluid being dispensed through the ejector in response to the acoustical pressure wave.

The dependent claims 16-39 are allowable by virtue of their dependence upon the independent claim 15.

#### ***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Fedorov et al. (7,208,727 B2 and 2007/0080246 A1) disclose an electrospray system


Art Unit: 2881

and method, wherein an ejector structure is configured to focus the acoustical pressure wave at the tip of the ejector nozzle.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nikita Wells whose telephone number is (571) 272-2484. The examiner can normally be reached on 8:30 AM - 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571) 272-2293. The central fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Nikita Wells, Primary Examiner  
Art Unit 2881  
July 30, 2007